



## Original Article



## Impact of Team-Based Learning on Medical Students Academic Performance

Zainab Abdullah<sup>1</sup>, Marina Khan<sup>2</sup>, Amber Asfandyar<sup>3</sup>, Khaliq Aman<sup>4</sup>, Behram Asim<sup>5</sup> and Sobia Haris<sup>6\*</sup>

<sup>1</sup>Department of Medical Education, Bashir College of Dentistry, Islamabad, Pakistan

<sup>2</sup>Department of Medical Education, Gandhara University, Peshawar, Pakistan

<sup>3</sup>Department of Physiology, Khyber Medical University, Peshawar, Pakistan

<sup>4</sup>Department of Orthodontics, Rawal Institute of Health Sciences, Islamabad, Pakistan

<sup>5</sup>Department of Medical Education, Rehman College of Dentistry, Peshawar, Pakistan

<sup>6</sup>Department of Medical Education, Nowshera Medical College, Nowshera, Pakistan

## ARTICLE INFO

**Keywords:**

Team-Based Learning, Small Group Discussion, Satisfaction Level, Academic Performance

**How to Cite:**

Abdullah, Z., Khan, M., Asfandyar, A., Aman, K., Asim, B., & Haris, S. (2025). Impact of Team-Based Learning on Medical Students Academic Performance: Team-Based Learning on Academic Performance of Medical Students. *Pakistan Journal of Health Sciences*, 6(1). 206-211. <https://doi.org/10.54393/pjhs.v6i1.2411>

**\*Corresponding Author:**

Sobia Haris

Department of Medical Education, Nowshera Medical College, Nowshera, Pakistan  
 sobiaharis92@nmcn.edu.pk

Received date: 12<sup>th</sup> November, 2024

Acceptance date: 23<sup>rd</sup> January, 2025

Published date: 31<sup>st</sup> January, 2025

## ABSTRACT

The effectiveness of different educational strategies in medical education is still essential to students' academic performance and satisfaction. **Objectives:** To determine the effect of Team-Based Learning versus Small Group Discussion (SGD) on academic outcomes for students in a medical curriculum. **Methods:** The study design was a quasi-experimental non-equivalent control group design involving 100 medical students divided into two groups of 50 for Team-Based Learning and 50 for Small Group Discussion. Data collection comprised pre-test and post-test scores, changes in scores, and levels of satisfaction measured using structured surveys. Statistically, independent t-tests were used to compare academic performance and satisfaction between the two groups. **Results:** The Team-Based Learning group had significantly higher post-test scores,  $76.42 \pm 9.14$  as compared to the Small Group Discussion group,  $68.00 \pm 9.45$ . The difference in change scores was significant:  $16.56 \pm 7.50$  for Team-Based Learning versus  $9.24 \pm 6.50$  for Small Group Discussion,  $p < 0.0001$ . Satisfaction levels were also higher in the Team-Based Learning group at  $4.14 \pm 0.88$  than in the Small Group Discussion group at  $2.94 \pm 0.79$ , with a statistically significant difference  $p < 0.0001$ . **Conclusions:** It was concluded that Team-Based Learning versus Small Group Discussion generated significant differences in the academic performance and satisfaction levels of medical students. Team-Based Learning appears to be a more effective teaching-learning strategy compared to Small Group Discussion in enhancing engagement and better learning outcomes in medical education.

## INTRODUCTION

In the rapidly changing field of medical education, the demand for innovative teaching methods has increased significantly [1]. Traditional educational approaches usually fail to create the student engagement needed to maximize learning outcomes [2]. Studies show that healthcare education needs teaching approaches which build students' ability to think critically through group activities and interactive learning that supports essential clinical capabilities [3]. Academic success depends on these core competencies which also serve as essential preparation for students to navigate the diverse

multidisciplinary healthcare domain. Team-based learning combines educational periods into one active unit that increases student collaboration and boosts educational accountability [4]. A study reported that by using Team-Based Learning (TBL) students' progress through higher cognitive levels by working together to solve problems [5]. Through this approach, students transform into active problem-solving since TBL maintains essential skills defined by 'The Accreditation Council for Graduate Medical Education (ACGME)' focusing on physician practice that demands teamwork and communication abilities [6]. TBL



standardization creates equivalent educational results among various student cohorts. Various academic research has documented the successful ways TBL helps students develop meaningful learning experiences. Multiple research studies have proven that TBL creates better learning effectiveness and increased content satisfaction across different educational settings [7-9]. Additionally, TBL helps students retain information longer and understand deeper concepts through classmate participation [10]. Through a detailed evaluation, researchers found that TBL generates increased student engagement since the framework encourages active learning and student-driven examinations [11]. TBL stands out as a crucial method in medical education because its benefits support interactive learning of complex clinical concepts. The educational strategy of small group Discussion (SGD) persists as one of the most commonly implemented methods in medical courses. The impact of SGD on student learning depends on how effectively students work together and the operating standards achieved by their facilitator [12]. This study indicates that while the SGD lead to learning improvements in most cases it doesn't deliver complete outcomes because of its unstructured nature as compared to TBL frameworks [13]. Given the limitations of SGD, alternative approaches that combine structure with interactive learning, such as TBL, need to be explored to optimize academic outcomes.

Medical education continues to face the challenge of moving beyond passive, lecture-based instruction toward pedagogical approaches that foster critical thinking, collaborative problem-solving, and deeper content engagement, all of which are essential competencies for future clinical practice. While Small Group Discussion (SGD) has long been a staple of medical curricula, its relatively unstructured nature often limits the consistency and depth of learning outcomes, particularly in resource-constrained educational settings in Pakistan where evidence-based pedagogical comparisons remain scarce. Team-Based Learning (TBL), with its structured three-phase framework of individual preparation, group testing, and immediate feedback, has demonstrated promise in international medical education contexts, yet comparative data evaluating its superiority over SGD in terms of both academic performance and student satisfaction within Pakistani medical institutions are limited. This study aims to examine how TBL influences medical student achievement levels as well as educational satisfaction against the traditional SGD curriculum. Contrasting the academic effects of TBL-based and SGD-based medical education required extensive qualitative and statistical research. The research findings offer significant benefits to policymakers and educators who are working to advance

medical education quality standards. Resolving healthcare challenges with evidence-based TBL teaching methods helps researchers create skilled and adaptable healthcare practitioners of the future.

## METHODS

This study design was a non-equivalent control group with randomisation, a type of quasi-experimental conducted at Rawal Institute of Medical Sciences, to investigate the impact of TBL on the academic performance of medical students compared to SGD, from January 2018- January 2019, involving 100 medical students and was conducted following ethical principles outlined in the Declaration of Helsinki. The written informed consent was obtained from all participants before their inclusion in the study. All Participants were informed about the study objectives, procedures, potential risks, and benefits. Each participant received clear assurances about their choice to stay in the study being voluntary with complete freedom to withdraw at any time. All participants received guaranteed confidentiality protection with anonymous research data during the complete study period. A stratified random sampling technique was used for the experiment design which separated participants between the TBL and SGD groups. To minimise biases, stratification was performed based on basic demographic variables: gender, age, and academic background. Students received their group assignment through a random number generator which distributed them between two different groups in each academic division. During assignment, the technique used random selection in combination with stratification to achieve equitable respondent profiles across groups lowering the potential impact of confounding variables on the study. The inclusion and exclusion criteria were all students taking MBBS pre-clinical classes at Rawal Institute of Medical Sciences in (2018-2019) qualified to enrol in the study. The study analyzed participants who gave their informed consent and attended at least 80% of the TBL or SGD intervention sessions. Exclusion criteria helped preserve the study's result integrity. Students who had participated in TBL before in other classes were excluded from the research to minimize potential biases in results. A comprehensive and reliable dataset was established following the exclusion of participants who did not complete the pre-test, post-test assessments or satisfaction survey. The required sample size emerged from G\*Power software computations that considered a 0.05 significance level with an 80% statistical power and a 0.8 effect size (Cohen's d). Test result evaluations performed on the same cohort served to calculate variance for objective consistency. Research data were collected from 100 medical students who were studying MBBS

preclinical throughout the study duration. The detailed teaching guidelines that tutors used to deliver teaching methods reliably. During TBL sessions, tutors established a structured framework consisting of three phases preparation, individual testing then group collaboration followed by immediate responses. The facilitators of SGD sessions utilized standard scripts to maintain consistent discussion topics while controlling their facilitation methods and session lengths. Before conducting sessions facilitators received periodic training programs to become proficient with the standardized protocol and reduce variation in session delivery methods. The study team conducted periodic assessments of session documentation to confirm instructional consistency and received feedback from independent observers. These assessments verified that the instructional approaches were delivered as planned thereby reducing any bias that might result from variations in delivery style or method. These strategies helped the study maintain high levels of accuracy and reliability between the outcome measurements of the two tested groups. TBL Group Intervention: Students needed to complete advanced individual studies before commencing the lecture phases. Group activities combined individual assessment with team discussions where students collaborated to solve application-related questions. The facilitators followed each segment with real-time feedback to clarify confusion while strengthening comprehension. During SGD sessions students participated in instructor-guided group discussions about TBL-normative subject material. Students shared their comprehension by engaging in group discussions yet the instructor did not evaluate separate student quizzes. The research procedure was initiated with numerical assessments that were combined with human feedback methods. Students underwent both pre-test and post-test assessments through a special-purpose multiple-choice test instrument designed for this research project. The pre-test was conducted at the beginning of the year to assess baseline knowledge, while the post-test was administered at the end of the year to measure knowledge gains. Students answered multiple-choice questions about fundamental curriculum material to demonstrate their understanding of how previously learned information applies to professional scenarios. Multiple precautions were established to validate and ensure the accuracy of all assessments. The assessment established construct validity by measuring the intended cognitive domains, which included knowledge retention, critical thinking, and application skills. The evaluation of MCQ reliability used Cronbach's alpha to determine internal consistency among items. The pilot test involved students who participated in the study (n=30), during which

Cronbach's alpha value of 0.82 confirmed good reliability in the MCQ test. Obtaining test consistency involved both evenly distributing questions across difficulty levels and implementing a standardized scoring system. A systematic approach was implemented to prove the reliability and validity of MCQ assessments and satisfaction survey tools, which enabled proper assessment of the intended outcome measure. In the end, a satisfaction survey was distributed to participants after completing the interventions. The survey included Likert-scale questions assessing different aspects of the learning experience: perceived effectiveness, engagement, and overall satisfaction with the learning method. The survey was unidentified to ensure honest feedback, and the data were aggregated for analysis. The survey's satisfaction level scoring was designed on the Likert scale, which typically ranges from 1 to 5, with 1: Strongly Disagree, 2: Disagree, 3: Neutral, 4: Agree, and 5: Strongly Agree. For the scoring process, each student responds to the survey by selecting a number on the Likert scale that best represents their opinion for each statement. The scores for each item were recorded, allowing for quantification of satisfaction levels. Data analysis was performed using SPSS version 22.0 (Statistical Package for the Social Sciences). Descriptive statistics (means and standard deviations) were calculated for all variables. Independent t-tests were employed to compare the two groups' pre-test and post-test scores, change in scores, and satisfaction levels. A p-value of <0.05 was considered statistically significant.

## RESULTS

Results show the participants were evenly distributed between the TBL and SGD groups, with 49% male and 51% female students. Most students (90%) were between 18 and 23 years old, with an equal distribution of those above 23 years in both groups. The mean high school science grade point average (GPA) was similar across groups (TBL:  $3.8 \pm 0.4$ ; SGD:  $3.7 \pm 0.5$ ). Prior exposure to active learning methods was reported by 22% of participants, slightly higher in the SGD group (24%) compared to the TBL group (20%) (Table 1).

**Table 1 :** Demographic and Academic Characteristics of Participants

| Characteristics    | TBL Group (n=50) | SGD Group (n= 50) | Total (n=100) |
|--------------------|------------------|-------------------|---------------|
| <b>Gender</b>      |                  |                   |               |
| Male               | 25 (50%)         | 24 (48%)          | 49 (49%)      |
| Female             | 25 (50%)         | 26 (52%)          | 51 (51%)      |
| <b>Age (Years)</b> |                  |                   |               |
| 18-20              | 20 (40%)         | 22 (44%)          | 42 (42%)      |
| 21-23              | 25 (50%)         | 23 (46%)          | 48 (48%)      |
| >23                | 5 (10%)          | 5 (10%)           | 10 (10%)      |

| Academic Background               |          |          |          |
|-----------------------------------|----------|----------|----------|
| GPA (Mean ± SD)                   | 20 (40%) | 22 (44%) | 42 (42%) |
| Prior Exposure to Active Learning | 25 (50%) | 23 (46%) | 48 (48%) |

Research shows the TBL group (59.86) had a slightly higher pre-test score than the SGD group (58.76), indicating a comparable baseline knowledge level. The TBL group outperformed the SGD group significantly, with a mean score of 76.42 versus 68.00, highlighting the effectiveness of TBL in improving knowledge retention. The TBL group's change in score (16.56) was nearly double that of the SGD group (9.24), emphasising the impact of TBL on learning gains. Students in the TBL group reported higher satisfaction (4.14) than the SGD group (2.94), suggesting that TBL enhances academic performance and improves student engagement and enjoyment of the learning process (Table 2).

**Table 2:** Descriptive Statistics for TBL and SGD Groups

| Groups     | Pre-Test Score (Mean ± SD) | Post-Test Score (Mean ± SD) | Change in Score (Mean ± SD) | Satisfaction Level (Mean ± SD) |
|------------|----------------------------|-----------------------------|-----------------------------|--------------------------------|
| TBL (n=50) | 59.86 ± 5.79               | 76.42 ± 9.14                | 16.56 ± 7.50                | 4.9 (49%)                      |
| SGD (n=50) | 58.76 ± 6.37               | 68.00 ± 9.45                | 9.24 ± 6.50                 | 2.94 ± 0.79                    |

Analysis shows the means and standard deviations for pre-test scores, post-test scores, change in scores, and satisfaction levels. The t-test results show no significant difference ( $p=0.368$ ), indicating that both groups started at similar knowledge levels. An important difference was observed ( $t=-4.528, p<0.001$ ), confirming that TBL leads to higher post-test scores than SGD. The significant t-value

**Table 4:** Change in Test Scores and Satisfaction Levels by Demographics

| Variables              | TBL - Test Score Change (Mean ± SD) | SGD - Test Score Change (Mean ± SD) | p-value (Scores) | TBL - Satisfaction (Mean ± SD) | SGD - Satisfaction (Mean ± SD) | p-value (Satisfaction) |
|------------------------|-------------------------------------|-------------------------------------|------------------|--------------------------------|--------------------------------|------------------------|
| <b>Gender</b>          |                                     |                                     |                  |                                |                                |                        |
| Male                   | 16.8 ± 7.2                          | 9.5 ± 6.1                           | < 0.001          | 4.12 ± 0.82                    | 2.89 ± 0.78                    | < 0.001                |
| Female                 | 16.3 ± 7.8                          | 8.9 ± 6.7                           | < 0.001          | 4.15 ± 0.90                    | 3.01 ± 0.79                    | < 0.001                |
| <b>Age (Years)</b>     |                                     |                                     |                  |                                |                                |                        |
| 18-20                  | 17.2 ± 7.5                          | 9.0 ± 6.3                           | < 0.001          | 4.20 ± 0.85                    | 2.91 ± 0.80                    | < 0.001                |
| 21-23                  | 16.5 ± 7.1                          | 9.4 ± 6.5                           | < 0.001          | 4.10 ± 0.90                    | 2.97 ± 0.77                    | < 0.001                |
| >23                    | 15.8 ± 6.9                          | 9.2 ± 6.2                           | < 0.001          | 4.08 ± 0.88                    | 2.90 ± 0.79                    | < 0.001                |
| <b>High School GPA</b> |                                     |                                     |                  |                                |                                |                        |
| Above 3.5              | 16.9 ± 7.4                          | 9.7 ± 6.4                           | < 0.001          | 4.18 ± 0.86                    | 2.95 ± 0.78                    | < 0.001                |
| 3.0-3.5                | 16.0 ± 6.8                          | 9.4 ± 6.5                           | < 0.001          | 4.07 ± 0.89                    | 2.92 ± 0.80                    | < 0.001                |

## DISCUSSION

This study revealed valuable insights into the impact of TBL compared to SGD on medical students' academic performance and satisfaction levels. The results suggest that TBL significantly enhances post-test scores and overall satisfaction than SGD, highlighting the effectiveness of the educational strategy. The post-test score showed a significant difference between groups.

( $t=-5.215, p<0.001$ ) highlights that TBL substantially impacts student learning, resulting in greater knowledge gains. The significant positive t-value ( $t=7.159, p<0.001$ ) indicates that TBL is significantly more satisfying for students than SGD (Table 3).

**Table 3:** Independent t-test Results Comparing TBL and SGD Groups

| Comparisons         | T-Statistic | p-value |
|---------------------|-------------|---------|
| Pre-Test Scores     | -0.904      | 0.368   |
| Post-Test Scores    | -4.528      | <0.001  |
| Change in Scores    | -5.215      | <0.001  |
| Satisfaction Levels | 7.159       | <0.001  |

The analysis of demographic subgroups Table 4 revealed that the TBL group consistently demonstrated greater improvements in test scores and higher satisfaction levels compared to the SGD group. Both male and female students in the TBL group showed significantly higher academic gains and satisfaction scores, with no major differences between genders. Younger students (18-20 years) achieved slightly higher improvements and satisfaction compared to older participants, indicating that TBL may particularly benefit this age group. Students with higher academic backgrounds (GPA >3.5) reported better outcomes with TBL in both test score improvements and satisfaction, suggesting that the structured nature of TBL aligns well with high-achieving students. However, the positive impact of TBL was consistent across all subgroups, emphasising its effectiveness as a universally applicable teaching method in medical education (Table 4).

Post-testing revealed that the TBL group earned a mean score of 76.42, and the SGD group obtained 68.00 as their mean. A substantial p-value of 0.0001 indicates that TBL reduces student confusion while ensuring deeper academic understanding. TBL's adoption of an active learning environment represents one possible reason for successful implementation. According to Børte et al., and

Owens *et al.*, active learning methods produce lasting student learning outcomes and academic achievement improvements [14, 15]. Data supported our findings through score change analysis because the TBL group demonstrated 16.56 points of improvement compared to 9.24 points for the SGD group. The improvement in student performance was demonstrated as statistically significant at  $p$  less than 0.0001, indicating that TBL enhances both content comprehension and deep engagement with educational material. A study by Burgess, in 2020 proved that the collaborative aspect of TBL where students explain concepts to peers, leads to better retention and comprehension of information [16]. The TBL educational method yielded better satisfaction levels in comparison to SGD ( $p < 0.0001$ ) as students achieved a mean satisfaction score of 4.14 versus 2.94. Student opinion indicates that TBL meets their satisfaction expectations. A study by Charalambous *et al.*, observed that the structured feedback provided during TBL sessions contributes to satisfaction. It helps students clarify misunderstandings and feel supported in their learning journey [17]. The satisfaction survey also showed that students in the TBL group appreciated the opportunity for peer interaction and the collaborative learning environment. Following the study, Sannathimmappa *et al.*, reported that students value active participation and collaboration in the learning process, leading to a more enjoyable and effective educational experience [18]. Our results are consistent with the development of literature that supports TBL as an effective educational approach in medical education [19]. Ainsworth *et al.*, Nawabi *et al.*, and Mansoor *et al.*, have shown that TBL enhances academic performance and improves student engagement and satisfaction [20-22]. A meta-analysis by Parappilly *et al.*, found that TBL was associated with better academic outcomes in different disciplines, including health sciences [23]. The findings of this study add to this literature by specifically focusing on medical students, demonstrating that TBL can be a superior alternative to traditional SGD methods. The implications of our study were significant for medical educators seeking to enhance learning outcomes and student satisfaction. Implementing TBL could improve academic performance, enhance engagement, and increase student satisfaction. As medical education progressively underlines the need for collaborative skills and critical thinking, TBL supports these educational goals well.

This study was constrained by its quasi-experimental design, single-center setting, and relatively small sample of 100 students, which limits the generalizability of findings to broader medical education contexts across Pakistan and other low-and-middle-income settings. The exclusive focus on preclinical students and reliance on multiple-

choice question assessments may not fully capture the development of higher-order clinical reasoning or communication skills that TBL is theoretically designed to cultivate. Additionally, the study's one-year timeframe precluded assessment of long-term knowledge retention and its translation into clinical competency. Future research should employ multicenter randomized controlled designs with larger, more diverse student cohorts spanning both preclinical and clinical years, incorporating objective structured clinical examinations and longitudinal follow-up to assess sustained learning outcomes. Investigating the role of facilitator training quality, institutional readiness, and student prior exposure to active learning on TBL effectiveness would also provide more nuanced insights to guide curriculum reform decisions in Pakistani medical education.

## CONCLUSIONS

It was concluded that TBL significantly enhances academic performance and satisfaction levels among medical students compared to SGD, indicating that TBL promotes an interactive and collaborative learning environment, leading to better engagement and understanding of the material. As medical education progresses, integrating TBL into curricula could improve educational outcomes and prepare students for future clinical practice. It emphasises the importance of adopting innovative teaching strategies that promote active learning and collaboration, ultimately benefiting students' educational skills.

## Authors' Contribution

Conceptualization: ZA

Methodology: MK, AA, KA, SH

Formal analysis: ZA, BA

Writing and Drafting: ZA, MK, AA, KA, SH

Review and Editing: ZA, MK, AA, KA, SH

All authors approved the final manuscript and take responsibility for the integrity of the work

## Conflicts of Interest

All the authors declare no conflict of interest.

## Source of Funding

The author received no financial support for the research, authorship and/or publication of this article.

## REFERENCES

- [1] Michaelsen LK, Parmelee DX, Levine RE, McMahon KK, Editors. Team-Based Learning for Health Professions Education: A Guide to Using Small Groups for Improving Learning. Taylor and Francis. 2023 Jul. doi: 10.4324/9781003447511-2.
- [2] Sweet M, Michaelsen LK, Editors. Team-Based Learning in the Social Sciences and Humanities: Group Work That Works

- to Generate Critical Thinking and Engagement. Taylor and Francis.2023 Jul. doi: 10.4324/9781003447528.
- [3] Burgess A, van Diggele C, Matar E. Inter-Professional Team-Based Learning: Building Social Capital. *Journal of Medical Education and Curricular Development*. 2020 Aug; 7: 2382120520941820. doi: 10.1177/2382120520941820.
- [4] Burgess A and Matar E. Team-Based Learning(TBL): Theory, Planning, Practice, and Implementation. In *Clinical Education for the Health Professions: Theory and Practice*. Singapore: Springer Nature Singapore. 2023 Jul: 1325-1353. doi: 10.1007/978-981-15-3344-0\_128.
- [5] Imran M, Halawa TF, Baig M, Almanjoui AM, Badri MM, Alghamdi WA. Team-Based Learning Versus Interactive Lecture in Achieving Learning Outcomes and Improving Clinical Reasoning Skills: A Randomized Crossover Study. *BioMed Central Medical Education*. 2022 May; 22(1): 348. doi: 10.1186/s12909-022-03411-w.
- [6] Cevik AA, ElZubeir M, Abu-Zidan FM, Shaban S. Team-Based Learning Improves Knowledge and Retention in an Emergency Medicine Clerkship. *International Journal of Emergency Medicine*. 2019 Dec; 12: 1-8. doi: 10.1186/s12245-019-0222-2.
- [7] Shen J, Qi H, Mei R, Sun C. A Comparative Study On the Effectiveness of Online and In-Class Team-Based Learning On Student Performance and Perceptions in Virtual Simulation Experiments. *BioMed Central Medical Education*.2024 Feb; 24(1): 135. doi: 10.1186/s12909-024-05080-3.
- [8] Bahgat M, Almasri Z, Elsafty A, Seddek A. Enhancing Team-Based Learning by Moderating FIRST-ADLX Framework in Teacher Professional Development. *Journal of Education and Training Studies*. 2024 Apr; 12(2): 87-105. doi: 10.11114/jets.v12i2.6755.
- [9] Sterpul, Herling L, Nordquist J, Rotgans J, Acharya G. Team-Based Learning (TBL) in Clinical Disciplines for Undergraduate Medical Students—A Scoping Review. *BioMed Central Medical Education*.2024 Jan; 24(1): 18. doi: 10.1186/s12909-023-04975-x.
- [10] Maia D, Andrade R, Afonso J, Costa P, Valente C, Espregueira-Mendes J. Academic performance and perceptions of Undergraduate Medical Students in Case-based learning compared to other teaching strategies: a systematic review with Meta-analysis. *Education Sciences*.2023 Feb; 13(3): 238. doi: 10.3390/educsci13030238.
- [11] Efthymiou IP and Sidiropoulos S. Team-Based Learning: Enhancing Student Engagement and Learning Outcomes. In *Cases on Economics Education and Tools for Educators*.2024: 1-24. doi: 10.4018/978-1-6684-7583-6.ch001.
- [12] Humayun L, Rasheed A, Agha MA. Small Group Discussion; Medical Students Perspective. In *Proceedings*.2020 Dec;34(2):36-40.doi:10.47489/p000s342z7501-5mc.
- [13] Jaleel A, Aziz U, Jaleel S, Farid G, Bashir Z, Sikander RM. Dynamics of Team-Based Learning in Molecular Biology: Insights and Reflections from Undergraduate Medical Students. *Cureus*.2024 Dec; 16(12): e76180. doi: 10.7759/cureus.76180.
- [14] Børte K, Nesje K, Lillejord S. Barriers to Student Active Learning in Higher Education. *Teaching in Higher Education*.2023 Apr; 28(3): 597-615. doi: 10.1080/13562517.2020.1839746.
- [15] Owens DC, Sadler TD, Barlow AT, Smith-Walters C. Student Motivation from and Resistance to Active Learning Rooted in Essential Science Practices. *Research in Science Education*. 2020 Feb; 50: 253-77. doi: 10.1007/s11665-017-9688-1.
- [16] Burgess A, van Diggele C, Roberts C, Mellis C. Team-Based Learning: Design, Facilitation and Participation. *BioMed Central Medical Education*. 2020 Dec; 20: 1-7. doi: 10.1186/s12909-020-02287-y.
- [17] Charalambous M, Hodge JA, Ippolito K. Statistically Significant Learning Experiences: Towards Building Self-Efficacy of Undergraduate Statistics Learners Through Team-Based Learning. *Educational Action Research*.2021 Mar; 29(2): 226-44. doi: 10.1080/09650792.2020.1782240.
- [18] Sannathimmappa MB, Nambiar V, Aravindakshan R, Kumar A. Are Online Synchronous Team-Based-Learning (TBL) pedagogy effective? Perspectives from a study on medical students in Oman. *Journal of Advances in Medical Education and Professionalism*. 2022 Jan; 10(1): 12. doi: 10.2196/preprints.30381.
- [19] Burgess A, Matar E, Roberts C, Haq I, Wynter L, Singer J et al. Scaffolding Medical Student Knowledge and Skills: Team-Based Learning (TBL) And Case-Based Learning (CBL). *BioMed Central Medical Education*.2021 Apr; 21(1): 238. doi: 10.1186/s12909-021-02638-3.
- [20] Ainsworth J. Team-Based Learning in Professional Writing Courses for Accounting Graduates: Positive Impacts On Student Engagement, Accountability and Satisfaction. *Accounting Education*. 2021 May; 30(3): 234-57. doi: 10.1080/09639284.2021.1906720.
- [21] Nawabi S, Bilal R, Javed MQ. Team-Based Learning Versus Traditional Lecture-Based Learning: An Investigation of Students' Perceptions and Academic Achievements. *Pakistan Journal of Medical Sciences*. 2021 Jul; 37(4): 1080. doi: 10.12669/pjms.37.4.4000.
- [22] Mansoor S, Meraj L, Ahmad M, Dodhy MA, Sattar H. Faculty Satisfaction Regarding Modular Teaching. *Journal of Rawalpindi Medical College*.2022 Jan; 26(1). doi: 10.37939/jrmc.v26i1.1880.
- [23] Parappilly M, Woodman RJ, Randhawa S. Feasibility and Effectiveness of Different Models of Team-Based Learning Approaches in STEM-Based Disciplines. *Research in Science Education*. 2021 Sep; 51(Suppl-1): 391-405. doi: 10.1007/s11665-019-09888-8.