DOI: https://doi.org/10.54393/pjhs.v6i9.3363



PAKISTAN JOURNAL OF HEALTH SCIENCES

(LAHORE)

https://thejas.com.pk/index.php/pjhs ISSN (E): 2790-9352, (P): 2790-9344 Volume 6, Issue 09 (September 2025)



Original Article



Evaluating the Predictive Validity of Objective Structured Clinical Examination (OSCE) Scores for Future Clinical Performance Among Final-Year Medical Students in Pakistan

Madiha Akhwand¹, Zainab Abdullah^{2*}, Bilqis Hassan³, Sarah Amin⁴, Sadaf Saleem⁴ and Humera Gohar⁵

¹Department of Medical Education, Rawal Institute of Health Sciences, Islamabad, Pakistan

ARTICLE INFO

Keywords:

Objective Structured Clinical Examination, Educational Measurement, Clinical Competence, Medical Students, Predictive Validity, Internship and Residency

How to Cite:

Akhwand, M., Abdullah, Z., Hassan, B., Amin, S., Saleem, S., & Gohar, H. (2025). Evaluating the Predictive Validity of Objective Structured Clinical Examination (OSCE) Scores for Future Clinical Performance Among Final-Year Medical Students in Pakistan: Predictive Validity of OSCE Scores for Future Clinical Performance. Pakistan Journal of Health Sciences, 6(9), 144-150. https://doi.org/10.54 393/pjhs.v6i9.3363

*Corresponding Author:

Zainab Abdullah

Department of Medical Education, Bashir College of Dentistry, Islamabad, Pakistan dr.xainab@gmail.com

Received Date: 20th July, 2025 Revised Date: 10th September, 2025 Acceptance Date: 25th September, 2025 Published Date: 30th September, 2025

ABSTRACT

The Objective Structured Clinical Examination (OSCE) is widely used in medical education to assess students' clinical skills. However, its ability to predict future clinical performance, known as predictive validity, remains debated. Objectives: To evaluate the predictive validity of OSCE scores for subsequent clinical performance among final-year medical students. Methods: This retrospective cohort study was conducted at a tertiary medical college in Pakistan. Data were collected for 80 final-year MBBS students, including total OSCE scores and domain-wise performance. Subsequent clinical performance was assessed using clerkship scores in Internal Medicine and Surgery, along with Mini-CEX, DOPS, 360-degree evaluations, and supervisor ratings. Pearson's correlation and multiple linear regression were used to examine associations. Results: The mean OSCE score was 72.7 ± 7.8. Only the Internal Medicine Clerkship Score showed a statistically significant negative correlation with OSCE performance (r = -0.224, p=0.046). However, the effect size was small, and the clinical significance of this finding is questionable. The association may reflect random variation or unmeasured confounding and $should\,be\,interpreted\,with\,caution.\,No\,other\,clinical\,outcomes\,showed\,significant\,correlations.$ Regression analysis revealed that none of the OSCE domains significantly predicted final clerkship scores. Conclusions: OSCE scores showed limited predictive value for subsequent clinical performance in this cohort. The results highlight the need to interpret statistically significant but weak associations with caution. Multimodal assessments combining OSCEs with workplace-based tools may offer a more comprehensive evaluation of clinical competence.

INTRODUCTION

The process of assessing clinical competence in undergraduate medical education has evolved significantly over recent decades [1]. As the focus shifts from traditional knowledge-based evaluations to performance-based assessments, institutions are increasingly adopting structured tools like the Objective Structured Clinical Examination (OSCE) to evaluate essential clinical skills [2]. The OSCE is designed to simulate real-life clinical scenarios in a controlled environment, allowing examiners to assess students' proficiency in history taking, physical

²Department of Medical Education, Bashir College of Dentistry, Islamabad, Pakistan

³Department of Medical Education, Northwest School of Medicine, Peshawar, Pakistan

⁴Department of Medical Education, NUST School of Health Sciences, National University of Sciences and Technology, Islamabad, Pakistan

⁵Department of Medical Education, Islamabad Medical and Dental College, Islamabad, Pakistan

examination, communication, clinical reasoning, and procedural tasks using standardized stations and checklists [3]. The widespread use of the OSCE is largely due to its perceived objectivity, reproducibility, and versatility in evaluating a broad range of clinical competencies [4]. It has become a cornerstone in many medical curricula globally and is often used as a highstakes examination for promotion or graduation. While the OSCE offers a more structured and standardized alternative to traditional oral or long-case exams, concerns remain regarding its ability to predict how students perform in real clinical settings. Clinical competence in the workplace involves not only technical skill but also adaptability, time management, interpersonal communication, and professional judgment elements that may not be fully captured within the time-constrained, station-based format of an OSCE [5]. A key concept in evaluating the effectiveness of such assessments is predictive validity, which refers to the extent to which performance on an assessment (e.g., OSCE) can accurately forecast future performance in a related real-world context, such as clinical clerkships or postgraduate training. Previous research on the predictive validity of OSCEs has produced mixed results. Some studies have reported moderate correlations between OSCE performance and future clinical achievements, while others have found little to no association. These inconsistencies raise questions about whether OSCE performance can be reliably used to forecast students' clinical effectiveness during clerkships or postgraduate training [6, 7]. Additionally, much of the existing literature originates from high-income, Western academic settings, with relatively limited data from local or regional contexts in South Asia, where cultural, curricular, and assessment practices may differ significantly [8]. Despite the routine reliance on OSCEs in undergraduate medical education, there remains a lack of clear evidence regarding their ability to predict actual clinical performance across diverse clinical rotations and evaluative settings. This gap is particularly relevant in institutions where OSCEs are used as gatekeeping tools for advancement or licensure. Without sufficient evidence of predictive validity, there is a risk that assessment-driven decisions may not accurately reflect a student's real-world competence. By analyzing the relationship between OSCE scores and subsequent clerkship evaluations, this research aims to provide insight into the strengths and limitations of the OSCE as a predictive tool, offering data-driven recommendations for assessment practices in undergraduate medical education.

This study aims to evaluate whether OSCE scores correlate with and can predict future clinical performance among

final-year medical students in a real clinical environment.

METHODS

This was a retrospective cohort study conducted among final-year medical students at Rawal Institute of Health Sciences, Islamabad. The study aimed to evaluate whether prior performance in the Objective Structured Clinical Examination (OSCE) could reliably predict subsequent clinical competence during clerkships. As the study utilized pre-existing institutional records to compare earlier OSCE scores with later clerkship outcomes, a retrospective design was considered methodologically appropriate. The study duration for 6 months from October 2024 to March 2025. Before data collection, ethical approval was obtained from the Institutional Review Board (IRB) of Rawal Institute of Health Sciences, under reference number RIHS/IRB/15/2024. Data were collected from April to October 2024. This approval confirmed adherence to institutional and ethical guidelines for human subject research. All participants provided written informed consent, and the principles of confidentiality, anonymity, and voluntary participation were strictly upheld throughout the study. A sample size of 80 students was determined based on anticipated effect sizes from prior literature [8], using a confidence level of 95% and statistical power of 80%. Non-probability consecutive sampling was used to include all eligible final-year MBBS students who had completed both the institutional OSCE and at least one full clerkship rotation. Inclusion criteria were final-year MBBS students enrolled in the current academic session, who had completed the institutional OSCE and undergone formal clinical clerkship evaluations in Internal Medicine and Surgery. Exclusion criteria were students who did not provide informed consent, those with incomplete data due to absenteeism or missing evaluations, and students with deferred or supplementary OSCE assessments. Data were collected in two distinct phases. OSCE scores were retrieved from the institutional examination department. The OSCE comprised multiple stations evaluating History Taking, Physical Examination, Communication Skills, Clinical Reasoning, and Procedural Skills. Each domain was scored independently using locally validated standardized rubrics, developed by a panel of senior clinical faculty and aligned with institutional learning objectives. These rubrics included detailed checklists with behavioural anchors and domain-specific criteria to minimize scoring subjectivity. Faculty assessors received prior training and participated in calibration exercises to ensure inter-rater reliability. Clinical performance data were obtained from clerkship evaluation forms and logbooks. The following outcomes were included: Final Clerkship Score (aggregated from Internal Medicine and Surgery), Individual Internal Medicine and

Surgery Clerkship Scores, Mini-Clinical Evaluation Exercise (Mini-CEX), Directly Observed Procedural Skills (DOPS), Supervisor or Preceptor Ratings, 360-Degree Feedback Scores, Patient Interaction Ratings, and Post-OSCE Written Examination Scores. Mini-CEX and DOPS evaluations were scored out of 10 using institutionally approved rating forms. Two independent assessors conducted evaluations whenever possible, and discrepancies were resolved through consensus. Supervisor and peer feedback were collected using structured 360-degree feedback forms incorporating Likert-type response scales. All data were anonymized and double-entered into SPSS version 25 to minimize entry errors and ensure accuracy. To ensure content validity, OSCE stations were developed by experienced faculty and mapped against institutional curriculum objectives. Construct validity was established by designing stations to assess distinct clinical competencies, avoiding domain overlap. Internal consistency was confirmed through pilot testing, yielding an acceptable Cronbach's alpha ($\alpha > 0.70$). Inter-rater reliability was strengthened through assessor workshops and rubric alignment. Predictive validity was assessed by examining the strength and direction of associations between OSCE scores and subsequent clinical performance outcomes. Descriptive statistics (mean and standard deviation) were used for demographic and score summaries. Pearson's correlation coefficient (r) was used to evaluate associations between total OSCE scores and individual clinical outcomes. Multiple linear regression analysis was performed to determine whether any specific OSCE domain scores significantly predicted Final Clerkship Scores. A p-value of less than 0.05 was considered statistically significant.

RESULTS

The study included 80 final-year medical students. The mean age was 22.85 ± 1.15 years, with a nearly equal gender distribution: 41 male (51.2%) and 39 female (48.8%). All participants were enrolled in their final year of the MBBS program. Academic consistency was evident, with a mean cumulative GPA of 75.90 \pm 6.13%, and the most recent professional exam scores averaged 75.47 ± 6.59%. Students achieved a mean total OSCE score of 72.70 ± 7.80 (out of 100). Among the component domains, the highest score was in Physical Examination (15.15 \pm 1.46), followed by Communication Skills (14.67 ± 1.54) and History Taking (14.02 ± 2.25). Scores were relatively lower in Clinical Reasoning (12.78 \pm 2.16) and Procedural Skills (13.37 \pm 1.68). The post-OSCE written examination score was 72.26 ± 6.70%, closely aligned with the total OSCE score. While the OSCE was scored out of 100, each domain was scored independently on variable subscales and then standardized by the examination committee to compute

the final composite OSCE score (Table 1).

Table 1: Demographic Characteristics of Medical Students, and Performance on OSCE Component (n=80)

Variables	Mean ± SD / n (%)				
Age (years)	22.85 ± 1.15				
Male	41 (51.2%)				
Female	39 (48.8%)				
Academic Year (Final)	80 (100%)				
Cumulative GPA (%)	75.90 ± 6.13				
Previous Exam Score (%)	75.47 ± 6.59				
OSCE Component					
History Taking Score	14.02 ± 2.25				
Physical Examination Score	15.15 ± 1.46				
Communication Skills Score	14.67 ± 1.54				
Clinical Reasoning Score	12.78 ± 2.16				
Procedural Skills Score	13.37 ± 1.68				
Total OSCE Score (/100)	72.70 ± 7.80				
Post-OSCE Written Score (%)	72.26 ± 6.70				

Clinical performance was assessed through clerkship scores and evaluator ratings. The Final Clerkship Score averaged 74.09 \pm 6.68, with Internal Medicine at 77.48 \pm 6.32, and Surgery at 75.11 \pm 7.24. Additional evaluations were favorable: Supervisor Rating (8.22 ± 1.06), Mini-CEX (7.53 ± 1.10) , DOPS (7.87 ± 0.93) , 360-Degree Feedback (7.75 ± 1.10) 0.90), and Patient Interaction Score (8.55 \pm 1.07), all out of 10. Only the Internal Medicine Score showed a statistically significant negative correlation with OSCE score (r =-0.224, p=0.046). However, the effect size was small (R² = 0.050) and, according to Cohen's classification, represents a weak correlation. This suggests limited clinical relevance, and the finding should be interpreted cautiously, as it may reflect random variation or unmeasured confounders. No other correlations between OSCE and clinical variables were statistically significant (p>0.05) (Table 2).

Table 2: Clinical Outcomes and Correlation with OSCE Score (n=80)

Clinical Outcome Variables	Mean ± SD	Pearson r	p-Value
Final Clerkship Score (%)	74.09 ± 6.68	-0.083	0.467
Internal Medicine Clerkship (%)	77.48 ± 6.32	-0.224	0.046
Surgery Clerkship (%)	75.11 ± 7.24	-0.122	0.281
Supervisor/Preceptor Rating (/10)	8.22 ± 1.06	-0.035	0.756
Mini-CEX Score (/10)	7.53 ± 1.10	0.006	0.959
DOPS Score (/10)	7.87 ± 0.93	0.120	0.287
360-Degree Feedback Score (/10)	7.75 ± 0.90	0.020	0.860
Patient Interaction Score (/10)	8.55 ± 1.07	0.033	0.770
Post-OSCE Written Score (%)	72.26 ± 6.70	0.058	0.611

To assess whether specific OSCE domains could predict overall clinical performance, a multiple linear regression model was constructed using the five OSCE components as independent variables and the Final Clerkship Score as

DOI: https://doi.org/10.54393/pjhs.v6i9.3363

the outcome. Pearson's correlation analysis revealed a statistically significant but weak negative correlation between the Total OSCE Score and the Internal Medicine Clerkship Score (r=-0.224, p=0.046). According to Cohen's guidelines, this reflects a small effect size and likely lacks clinical relevance. The result may represent a Type I error due to random variation or uncontrolled confounding factors and should therefore be interpreted with caution. All other clinical outcomes showed non-significant correlations with OSCE scores, suggesting limited predictive value (Table 3).

Table 3: Multiple Linear Regression – OSCE Domains as Predictors of Final Clerkship Score (n=80)

Predictors	B Co- efficient	Std. Error	t- Value	p- Value	95% CI (Lower, Upper)
Constant	82.70	14.69	5.63	<0.001	53.43, 111.96
History Taking Score	-0.263	0.345	-0.764	0.447	-0.951, 0.424
Physical Exam Score	-0.179	0.532	-0.337	0.737	-1.239, 0.880
Communication Skills	0.068	0.506	0.135	0.893	-0.940, 1.077
Clinical Reasoning Score	-0.027	0.359	-0.075	0.940	-0.743, 0.689
Procedural Skills Score	-0.213	0.459	-0.465	0.644	-1.128, 0.702

To evaluate the potential influence of gender and academic performance on assessment outcomes, subgroup analyses were performed using independent samples ttests. Gender-wise comparisons showed that female students achieved a slightly higher mean OSCE score (73.56 \pm 7.43) compared to male students (71.88 \pm 8.15), but this difference was not statistically significant (t = -0.963, p=0.339). Similarly, in terms of Final Clerkship Scores, female students had a marginally higher mean (74.62 ± 7.64) than males (73.58 ± 5.68) , yet the difference did not reach statistical significance (t = -0.692, p=0.491). These findings suggest that gender did not significantly impact either OSCE or clerkship performance in this cohort. GPA-based comparisons revealed a reverse trend. Students with a lower cumulative GPA (<75%) scored slightly higher on the OSCE (73.78 \pm 7.50) than those with a higher GPA (\geq 75%), who averaged 71.81 ± 8.02. However, this difference was not statistically significant (t = 1.125, p=0.264). Final Clerkship Scores were also comparable between the low GPA (73.85 ± 7.28) and high GPA groups (74.29 ± 6.23) , with no significant difference observed (t = -0.291, p=0.772). These results indicate that prior academic performance, as measured by GPA, did not predict OSCE or clerkship outcomes in a meaningful way (Table 4).

Table 4: Gender- and GPA-Based Comparison of OSCE and Final Clerkship Scores

Grouping Variables	Outcome Measure	Group	Mean ± SD	t- Value	p- Value
Gender	Total OSCE Score	Male	71.88 ± 8.15	-0.963	0.339
Gender		Female	73.56 ± 7.43		

	Final Clerkship	Male	73.58 ± 5.68	0 602	0.491
	Score	Female	74.62 ± 7.64	-0.032	
GPA Group	Total OSCE Score	Low GPA (<75%)	73.78 ± 7.50	1.125	0.264
		High GPA (≥75%)	71.81 ± 8.02	1.123	
	Final Clerkship Score	Low GPA (<75%)	73.85 ± 7.28	0.201	0.772
		High GPA (≥75%)	74.29 ± 6.23	-0.291	

A summary of the subgroup comparisons was presented. None of the differences observed across gender or GPA groupings reached statistical significance. The comparisons of OSCE scores by gender (t (78) = -0.963, p=0.339) and clerkship scores by gender (t (78) = -0.692, p=0.491) both yielded non-significant results, reinforcing that performance in both domains was independent of gender. Likewise, comparisons based on GPA showed no significant effect on OSCE scores (t (78) = 1.125, p=0.264) or clerkship scores (t (78) = -0.291, p=0.772). These findings provide further evidence that demographic and academic variables such as gender and GPA did not act as confounding factors in assessing clinical competence in this study(Table 5).

Table 5: Summary of Subgroup Analysis Results

Subgroup Comparison	Outcome Measure	Statistical Result	Interpretation	
Gender vs. OSCE Score	T (78) = -0.963, p=0.339	Not significant (NS)	No significant difference	
Gender vs. Clerkship Score	T (78) = -0.692, p=0.491	Not significant (NS)	No significant difference	
GPA vs. OSCE Score			No significant difference	
GPA vs. Clerkship Score	T (78) = -0.291, p=0.772	Not significant (NS)	No significant difference	

Scatter plot depicting the linear relationship between Internal Medicine Clerkship Scores and Total OSCE Scores. The line of best fit demonstrates a weak negative association ($R^2 = 0.050$), indicating that only 5% of the variance in OSCE scores is explained by performance in internal medicine. The trend is statistically significant but clinically negligible, with considerable data spread around the fit line (Table 5).




Figure 1: Linear Regression Between Internal Medicine Clerkship Scores and Total OSCE Scores

DISCUSSIONS

This study investigated whether OSCE scores could predict future clinical performance among final-year medical students. The analysis revealed a statistically significant but weak negative correlation between total OSCE scores and performance in the Internal Medicine clerkship. However, no such associations were observed for Surgery clerkship scores, Mini-CEX, DOPS, or other clinical evaluations. This suggests that while OSCEs serve as structured assessments of core skills, their ability to predict broader clinical competence in real-world settings appears limited. The weak inverse correlation with Internal Medicine performance warrants careful interpretation. One possible explanation may lie in the differences in assessment frameworks. OSCEs are standardized and time-constrained, while clerkship evaluations often reward adaptability, continuity of care, and interpersonal skills that are difficult to capture in a simulated environment. The weak inverse correlation with Internal Medicine clerkship performance, although statistically significant, is unlikely to have practical importance. Given the small effect size and borderline significance, this association may represent a chance finding (Type I error) or the influence of uncontrolled confounding factors such as assessor judgment, student motivation, or variability in clinical exposure. Therefore, this result should be interpreted with caution and not overemphasized. Furthermore, Internal Medicine often demands integrative reasoning, longitudinal patient care, and team-based decision-making domains less emphasized in traditional OSCE formats. The negative direction of correlation may also reflect a statistical artifact or unmeasured confounding, such as varying levels of student engagement, assessor subjectivity, or clinical exposure. Although prior literature often supports the formative value of OSCEs, its predictive utility remains a matter of controversy [9]. Nasiri et al. found that OSCE scores moderately predicted third-year clinical performance in a setting with integrated mentorship and longitudinal followup [10]. However, the contextual differences, including evaluation culture and curriculum structure, may explain the stronger alignment in that setting. Conversely, Dewan et al. Chang et al. and and Paynte et al. reported minimal associations between OSCEs and clerkship outcomes, consistent with our findings [11-13]. Moreover, studies by Dewan et al. and McGown et al. emphasized that OSCEs primarily assess discrete skills under observation but may not translate into performance in dynamic clinical environments [11, 14]. This supports the lack of association between domains such as Clinical Reasoning and realworld clerkship scores in our data. It is also possible that OSCE high-performers rely on structured preparation and checklist behaviors, while clerkship success often hinges on adaptability, communication, and professionalism traits harder to measure in OSCE stations. Some researchers advocate incorporating OSCEs into a broader competencybased assessment system [15-17]. Vhora et al. argued that while OSCEs demonstrate good inter-rater reliability, their summative use should be supplemented with workplacebased assessments [18]. Entrustable Professional Activities (EPAs), multisource feedback, and narrative clinical assessments may offer more valid insight into a student's readiness for clinical responsibilities [19, 20]. Overall, while the OSCE provides a valuable snapshot of student performance under controlled conditions, it cannot replace the depth and context provided by longitudinal clinical evaluations. Our findings support a shift toward multimodal assessment models that balance structured exams with authentic performance-based measures.

CONCLUSIONS

In this single-institution study of 80 final-year medical students, OSCE scores demonstrated limited predictive validity for subsequent clinical performance. A weak negative correlation was observed between total OSCE scores and Internal Medicine clerkship outcomes, while no significant associations were found for Surgery clerkships, Mini-CEX, or DOPS. These findings suggest that OSCEs, although structured and standardized, may not adequately capture the complex competencies required in clinical environments. Future research should explore longitudinal, multisite studies and consider integrating OSCEs with entrustable professional activities and narrative workplace-based evaluations to better assess clinical readiness.

Authors Contribution

Conceptualization: MA

Methodology: MA, ZA, BH, SA, HG Formal analysis: ZA, SA, SS, HG

Writing review and editing: MA, ZA, BH, SA, SS, HG

All authors have read and agreed to the published version of the manuscript

Conflicts of Interest

All the authors declare no conflict of interest.

Source of Funding

The author received no financial support for the research, authorship and/or publication of this article.

REFERENCES

- [1] Eze BU, Okoloagu NN, Mba SG. Objective Structured Clinical Examination as A Reliable tool in the Summative Evaluation of Final Year Medical Students at Enugu State University College of Medicine. European Journal of Clinical Medicine. 2022 Nov; 3(6): 1-3. doi: 10.24018/clinicmed.2022.3.6.236.
- [2] Parekh P and Bahadoor V. The Utility of Multiple-Choice Assessment in Current Medical Education: A Critical Review. Cureus. 2024 May; 16(5). doi: 10.7759/cureus.59778.
- [3] Elshama SS. How to Design and Apply an Objective Structured Clinical Examination (OSCE) in Medical Education? Iberoamerican Journal of Medicine. 2021; 3(1): 51-5. doi: 10.53986/ibjm.2021.0009.
- [4] Nelson AM, Garcia M, Le T, AI A, Boley L, Berens KL et al. Objective Structured Clinical Evaluation (OSCE) of an Artificial Intelligence (AI) Clinical Decision Support System (CDSS) Tool. In Human Research Program Investigators' Workshop. 2025 Jan.
- [5] Plöger R, Abramian A, Egger EK, Mustea A, Sänger N, Plöger H et al. Evaluation of an OSCE's Implementation and A Two-Step Approach for A Theoretical and Practical Training Program in Obstetrics and Gynaecology. Frontiers in Medicine. 2023 Dec; 10:1263862. doi:10.3389/fmed.2023.1263862.
- [6] Plöger R, Abramian A, Egger EK, Gembruch U, Mustea A, Sänger N et al. Development and Feasibility of Interdisciplinary Objective Structured Clinical Examination (OSCE) in Obstetrics and Gynaecology. Archives of Gynaecology and Obstetrics. 2023 Jan; 307: 1265–1268. doi: 10.1007/s00404-023-06909-w.
- [7] Lavery J. Observed Structured Clinical Examination as A Means of Assessing Clinical Skills Competencies of ANPs. British Journal of Nursing. 2022 Feb; 31(4): 214-20. doi: 10.12968/bjon.2022.31.4.214.
- [8] Roduta Roberts M, Alves CB, Chen F, St. Jean CR. Associations Between an Open-Response Situational Judgment Test and Performance on OSCEs and Fieldwork: Implications for Admissions Decisions and Matriculant Diversity in an Occupational Therapy Program. BioMed Central Medical Education. 2024 Oct; 24(1): 1146. doi: 10.1186/ s12909-024-06071-0.
- [9] Alshreef SA, Jaber MH, Elbadawi SO, Shafique MA, Ali SS, Abdelgadir HS. Assessment of Anxiety Related to the OSCE Exam among Alzaeim Al-Azahari University Medical Students 2022. American Journal of Health Research. 2023; 11(6): 158-63.
- [10] Nasiri M, Yektatalab S, Momennasab M, Vizeshfar F. Using Objective Structured Clinical Examination

- (OSCE) for Circulating and Scrub Skills of First-Semester Operating Room Technology Students: Is It Valid and Reliable? Heliyon. 2023 Mar; 9(3). doi: 10.10 16/j.heliyon.2023.e14395.
- [11] Dewan P, Khalil S, Gupta P. Objective Structured Clinical Examination for Teaching and Assessment: Evidence-Based Critique. Clinical Epidemiology and Global Health. 2024 Jan; 25: 101477. doi: 10.1016/j. cegh.2023.101477.
- [12] Chang O, Holbrook AM, Lohit S, Deng J, Xu J, Lee M et al. Comparability of Objective Structured Clinical Examinations (OSCEs) and Written Tests for Assessing Medical School Students' Competencies: A Scoping Review. Evaluation and the Health Professions. 2023 Sep; 46(3): 213-24. doi: 10.1177/016 32787231165797.
- [13] Paynter S, Iles R, Hay M. An Investigation of the Predictive Validity of Selection Tools on Performance in Physiotherapy Training in Australia. Physiotherapy. 2022 Mar; 114: 1-8. doi: 10.1016/j.physio.2021.11.001.
- [14] McGown PJ, Nichols MM, Forshaw JA, Rich A, Harrison D, Brown C, Sam AH. What is the Predictive Validity of Clinical Placement Sign-Off Forms for Medical Students? BioMed Central Medical Education. 2025 Jun; 25(1): 840. doi: 10.1186/s12909-025-07237-0.
- [15] Ellis R, Cleland J, Scrimgeour DS, Lee AJ, Hines J, Brennan PA. Establishing the Predictive Validity of the Intercollegiate Membership of the Royal Colleges of Surgeons Written Examination: MRCS Part B. The Surgeon. 2023 Oct; 21(5): 278-84. doi: 10.1016/j. surge.2023.07.003.
- [16] Scrimgeour DS, Cleland J, Lee AJ, Brennan PA. Which Factors Predict Success in the Mandatory UK Postgraduate Surgical Exam: The Intercollegiate Membership of the Royal College of Surgeons (MRCS)? The Surgeon. 2018 Aug; 16(4): 220-6. doi: 10.1016/j.surge.2017.10.001.
- [17] Alaskar A, Subbarayalu AV, Alfaraj E, Ramzi OI, Alameri NS, Alhababi A et al. Health Science Students' Perceptions About Objective Structured Clinical Examination (OSCE) as A Method of Clinical Evaluation. Electronic Journal of General Medicine. 2022 Dec; 19(6). doi: 10.29333/ejgm/12466.
- [18] Vhora A, Davies RL, Rice K. The Psychometric Quality of Objective Structured Clinical Examinations Within Psychology Programs: A Systematic Review. Psychology Learning and Teaching. 2024 Mar; 23(1): 4-25. doi: 10.1177/14757257231196707.
- [19] Mielke I, Breil SM, Hissbach J, Ehrhardt M, Knorr M. Predicting Undergraduate OSCE Performance Using Traditional and Construct-Driven Situational

DOI: https://doi.org/10.54393/pjhs.v6i9.3363

- Judgment Tests at Admission. Advances in Health Sciences Education. 2025 Jun; 30(3): 777-94. doi: 10.1007/s10459-024-10379-3.
- [20] Sundström AE and Hakelind C. Examining Clinical Skills and Abilities in Psychology-Implementation and Evaluation of an Objective Structured Clinical Examination in Psychology. The Journal of Mental Health Training, Education and Practice. 2023 Feb; 18(2): 97-110. doi: 10.1108/JMHTEP-10-2021-0124.